

# HFC 1001/1003/1005/1009/1020

# HIGH FLOW LIQUID/GAS COALESCER

**Technical Specification** 



### **Product Description**

The John Crane HFC High Flow Liquid/Gas Coalescer is specially designed to remove aerosol liquids and solids from process and fuel gas to undetectable levels. Improved separation efficiency and longer operation lifetimes are assured by specially formulated oleophobic and hydrophobic coalescer elements housed in a forged/welded pressure vessel, complying to international standards.

In addition to complying to filtration requirements for contaminants of 0.3 micron at particulate efficiencies of 99.9%, the coalescing performance will remove 99.9% of the aerosol droplets, all within a small footprint with a high dirt-holding capacity. For highly contaminated gases with aerosol concentrations of 500 ppm and above, a combination of conventional technologies such as mesh pads or cyclone separator is recommended for use with the HFC.

### **Applications**

Treatment of fuel and process gases in refinery, petrochemical and chemical plants including:

- Protection of burner tips in furnaces from fouling created by fuel gas contaminants
- Protection of molecular sieve dryer beds (dehydrators) from process gas impurities
- Protection of amine units in refineries from process sour gas contaminants

In addition, the coalescer can be considered for treating fuel gases to medium size gas turbines and compressors. Future applications will include green hydrogen.

### **Qualification Standards**

Standard compliance ASME VIII Div 1/U Stamp/PED/ATEX Optional compliance: CRN, TR-CU, DOSH, NR13, AS1210, UKCA

## **Operating Parameters/Design Conditions**

Pressure vessels (housings) are available in stainless steel 304 and in carbon steel

- Filtering of process and fuel gases with cleanliness requirements down to 0.3 micron and removal of 99.9% of solids
- Removal of aerosol liquids down to 99.9% efficiency
- High dirt-holding capacity

Temperature: -29° to 175°C/-20° to 347°F (fuel gases)

-29° to 100°C/-20° to 212°F (process gases)

Pressure: Up to 30 barg/441 psig (fuel gases)

3 to 10 barg/44 to 147 psig (process gases)

Flow rate: 450 actual m3/hr (265 actual CFM) per element

(Handling capacity varies depending on number of

elements in the pressure vessel)

Initial DP 0.1 barg/1.5 psig (recommended)
Change-out DP 1 barg/14.7 psig (recommended)

### **Design Features**

- Particle filtration coupled with coalescence to remove solids and aerosols
- Optimization of element length/diameter ratio, inlet/outlet location and flow control to enable the lowest pressure drop across elements
- Special coating to impart oleophobicity to elements for improved drainage and reduced pressure drop
- Simplified forged/welded vessel construction to handle a wide range of gas flow rates



# HFC 1001/1003/1005/1009/1020

# HIGH FLOW LIQUID/GAS COALESCER

**Technical Specification** 

Characteristics of Pressure Vessels (Housings)				
Actual Gas Flow Rate Range	# Elements	Vessel Type/Material	Name	
0 to 450 am³/hr (0 to 265 ACFM)	1	Forged, SS 304 or CS	HFC 1001	
450 to 1350 am³/hr (265 to 800 ACFM)	3	Forged, SS 304 or CS	HFC 1003	
1,350 to 2,250 am³/hr (800 to 1325 ACFM)	5	Welded, SS 304 or CS	HFC 1005	
2,250 to 40,50 am³/hr (1325 to 2380 ACFM)	9	Welded, SS 304 or CS	HFC 1009	
4,050 to 9,000 am <sup>3</sup> /hr (2380 to 5300 ACFM)	20	Welded, SS 304 or CS	HFC 1020	
9,000+ am³/hr ( > 5300 ACFM)	20+ (TBD)	Welded, SS 304 or CS	Custom	

Dimensions of Pressure Vessels*		
<b>HFC 1005</b> (5 elements)	<b>HFC 1009</b> (9 elements)	<b>HFC 1020</b> (20 elements)
Outer Diameter: 655 mm/2.1 ft	Outer Diameter: 915 mm/3 ft	Outer Diameter: 1,150 mm/3.8 ft
Total Height: 3,170 mm/10.4 ft	Total height: 3,350 mm/11 ft	Total Height: 3,700 mm/12.1 ft
Weight of Housing: 1,620 kg/3,500 lbs	Weight of Housing: 2,900 kg/6,400 lbs	Weight of Housing: 7,500 kg/16,500 lbs

<sup>\*</sup>HFC 1001 and HFC 1003 – available upon request.

### **Characteristics of Element**

• Length: 775 mm/30 inches

• Dimensions: 162 mm/6.4 inches (outer diameter)

(One element size is designed to cover the entire

product range)

• Weight of element: 16.5 kg (36.2 lb)

## **Pressure Drop**

The pressure drop in a filter system is the pressure difference before and after the filter system. Pressure drop occurs due to transfer valves, pipe bends, filter media selection and the loading of the filter element. Pressure drop curves in gas coalescing application show three stages:

#### Start-up (clean) pressure drop

When a new filter element is installed, the element is clean and dry, the filter media pores are not blocked with particles or liquid droplets, and gas flows freely; most of the pressure drop is caused by the filter system.

### Operational (saturated) pressure drop

The filter element is capturing/coalescing and draining liquids from the gas flow. The filter element pores are partially blocked with captured droplets (saturated) and the gas has more restrictions when passing

through. The operational pressure drop when fully saturated can be 4 times higher than start-up. Depending on the liquid concentrations in the gas, the filter element becomes saturated in a time ranging from several hours to several days.

#### Replacement stage

Over time, the element also traps more and more particle contamination from the gas flow. Increased particle loading blocks more of the filter media leading to a further increase in pressure drop, up to the alarm point where the filter element requires to be replaced.

Why is pressure drop important?

- Operational/saturated pressure drop has direct impact on the performance, lifetime, and energy consumption of the filter element.
- The HFC liquid/gas coalescer has a combination of solutions to keep both clean and saturated pressure drop as low as possible:
  - Flow optimized system design
  - Oleophobic filter media
  - Optimal filter element size

Using advanced prediction software based on actual CFD tests, clean and saturated pressure drop is predicted for every filter to optimize filter size for process conditions.



North America United States of America United Kingdom Brazil United Arab Emirates Singapore

Tel: 1-847-967-2400 Tel: 44-1753-224000 Tel: 55-11-3371-2500 Tel: 971-481-27800 Tel: 65-6518-1800

If the products featured will be used in a potentially dangerous and/or hazardous process, your John Crane representative should be consulted prior to their selection and use. In the interest of continuous development, John Crane Companies reserve the right to alter designs and specifications without prior notice. It is dangerous to smoke while handling products made from PTFE. Old and new PTFE products must not be incinerated. ISO 9001 and ISO14001 Certified, details available on request.







